

# Custom Shaders

If you want to use custom shaders with Destructible 2D then you need to make a few simple modifications.

## Step 1 - Update your shader properties

In your shader's Property { ... } block, you need to add the following properties:

```
_AlphaTex ("Alpha Tex", 2D) = "white" {}  
  
_AlphaScale ("Alpha Scale", Vector) = (1,1,0,0)  
  
_AlphaOffset ("Alpha Offset", Vector) = (0,0,0,0)  
  
_Sharpness ("Sharpness", Float) = 1.0
```

## Step 2 - Update your variable declarations

In your shader's variable section (e.g. where you should have `sampler2D _MainTex;` or similar), add the following variables:

```
sampler2D _AlphaTex;  
  
float2 _AlphaScale;  
  
float2 _AlphaOffset;  
  
float _Sharpness;
```

## Step 3 - Update your fragment or surface function

Inside your fragment function, e.g. `fixed4 frag(v2f IN) : SV_Target { ... }`

Or inside surface function, e.g. `void surf (Input IN, inout SurfaceOutput o) { ... }`

You need to multiply your final alpha something like this:

```
float4 alphaTex = tex2D(_AlphaTex, (i.texcoord - _AlphaOffset) * _AlphaScale);  
  
myFinalColour.a *= saturate(0.5f + (alphaTex.a - 0.5f) * _Sharpness);  
  
return myFinalColour;
```

or like this:

```
float4 alphaTex = tex2D(_AlphaTex, (i.texcoord - _AlphaOffset) * _AlphaScale);  
  
o.Alpha *= saturate(0.5f + (alphaTex.a - 0.5f) * _Sharpness);
```

NOTE: Make sure this is done AFTER setting the initial alpha value, otherwise it will be overwritten.

NOTE: Make sure the UV variable (e.g. `i.texcoord`) is correct, as it may change depending on the shader.

## Example:

```
void Frag(v2f i, out float4 o:COLOR0)
{
    float4 mainTex = tex2D(_MainTex, i.texcoord);

    o.rgb = mainTex;

    float4 alphaTex = tex2D(_AlphaTex, (i.texcoord - _AlphaOffset) * _AlphaScale);
    o.a *= saturate(0.5f + (alphaTex.a - 0.5f) * _Sharpness);
}
```

## Example:

```
void surf (Input IN, inout SurfaceOutput o) {
    fixed4 c = tex2D(_MainTex, IN.uv_MainTex) * _Color;
    o.Albedo = c.rgb;
    o.Alpha = c.a;

    float4 alphaTex = tex2D(_AlphaTex, (IN.uv_MainTex - _AlphaOffset) * _AlphaScale);
    o.Alpha *= saturate(0.5f + (alphaTex.a - 0.5f) * _Sharpness);
}
```